

**T.16N R.4W 2<sup>nd</sup> Mer.**

	6	791	5	285	4	280	3	276	2	271	1	264
	<del>290</del>		<del>290</del>		<del>284</del>		<del>280</del>		<del>276</del>		<del>271</del>	
	7	289	8	284	9	280	10	276	11	271	12	264
	<del>289</del>		<del>289</del>		<del>284</del>		<del>279</del>		<del>275</del>		<del>271</del>	
	18	288	17	283	16	279	15	275	14	271	13	263
	<del>288</del>		<del>288</del>		<del>283</del>		<del>279</del>		<del>274</del>		<del>270</del>	
	19	287	20	282	21	278	22	274	23	270	24	263
	<del>286</del>		<del>286</del>		<del>282</del>		<del>278</del>		<del>274</del>		<del>269</del>	
	30	286	29	282	28	278	27	273	26	269	25	263
	<del>286</del>		<del>285</del>		<del>281</del>		<del>277</del>		<del>273</del>		<del>269</del>	
	31	285	32	280	33	277	34	273	35	268	36	262
	<del>262</del>		<del>262</del>		<del>261</del>		<del>261</del>		<del>261</del>		<del>261</del>	

***T1N\_\_ R. 5W\_\_ 2<sup>nd</sup> Mer.***

	304		303		303		302		302		303	
306	6	331	5	326	4	321	3	317	2	311	1	302
	333		330		326		321		316		311	
306	7	330	8	325	9	321	10	315	11	311	12	307
	333		330		325		320		315		310	
306	18	329	17	324	16	319	15	315	14	310	13	301
	333		329		324		320		314		309	
305	19	329	20	324	21	319	22	314	23	308	24	300
	332		328		323		318		313		308	
305	30	328	29	323	28	318	27	313	26	307	25	300
	332		327		322		317		312		307	
304	31	327	32	322	33	317	34	312	35	307	36	299
	299		298		298		298		297		297	

 The figures on the lines refer to the page.

Meander 334

Township No 1 North of Range No 5 West of the 2<sup>nd</sup> Meridian Sec. 2, 297

Ch. Cr.

Race line.

West On the South Boundary of Sec. 36. T. N. 1. R. N. 5 W.  
 14.80 To a W. Oak 14 in. diam in the line  
 35.35 " " Sugar 18 " " " "  
 37.10 " " Buck 6 lbs. side; Co. N. W.  
 40.00 Set a 1/2 post from which a  
 Sugar 16 in. diam. bears S 35 W. 6 lbs. side; & a  
 Buck 30 " " " S 80 E. 32 " "  
 50.05 To a Buck 6 lbs. side; Course S 20 W.  
 67.60 " " Sugar, 12 in. diam. in the line  
 76.00 " " W. Oak, 26 " " " "  
 80.00 Set a post for the cross cor. 35 & 36. From which a  
 W. Oak 10 in. diam. bears N 23 E. 20 lbs. side; & a  
 Buck. 20 " " " Sp. W. 44 " "  
 This mile many land; Soil good Timber mostly Buck  
 Sugar, & Ash; but little undergrowth;

West On the South Boundary of Sec. 35. T. N. 1. R. N. 5 W.  
 5.90 To a Buck 8 lbs. side; Course S. W.  
 14.88 To a W. Oak. 36 in. diam. in the line  
 22.10 " " Drain. 6 lbs. side; Course S. W.  
 27.52 To a W. Oak. 24 in. diam. in the line.  
 40.00 Set a 1/2 post from which a  
 Buck. 19 in. diam. bears S 74 W. 32 lbs. side; & a  
 Ho. 24 " " " N 55 E. 60 " "  
 49.60 To a Buck. 12 in. diam. in the line.  
 79.94 " " Sugar 12 " " " "  
 80.00 Set a post for the cor. of Sec. 34 & 35 from which a  
 Sugar. 14 in. diam. bears S 7 E. 21 lbs. side; & a  
 Buck. 10 " " " N 70 W. 8 " "  
 Land good; Timber Buck, Sugar, Oak, & Spruce  
 Buck, undergrowth.



T. N. 1. N. R. N. 5 W. 3<sup>rd</sup> Mer. Sec. 2

Wish	On the South Boundary of sw 34 T. 1. N. R. 5 W.
20.60	To Sargents Creek 50 links mid; Course N.
33.60	To an Elm 20 in. dia: in the line.
40.00	Set a 7/4 cu. post from which Hick. 12 in. dia: bend. S 8 W. 10 links dist; 1 a B. Ash. 12 " " " N 3 1/2 E. 28 " "
49.60	To Kentucky road; Course N 60 E. + S. W.
67.50	" at Brook 30 links mid; Course N.
80.00	Set a post for the cor of sw 33 + 34 from which a Buck. 12 in. dia: bend. S 40 W. 16 links dist; 1 a B. Walnut 14 " " " S 67 E. 45 " "
	This mile land swampy land; soil middling; Dist. Buck, Oak, ash, Maple &c; manyth Spruce, & Maple

Wish	On the South Boundary of sw. 33 T. 1. N. R. 5 W.
15.10	To a Brook 10 links mid; Course S. good running water
25.37	" " W Oak 24 in. dia: in the line
40.00	Set a 7/4 cu. post from which a W. Oak 24 in. dia: bend. S 32 W. 11 links dist; 1 a Gum. 16 " " " N 17 W. 58 " "
59.60	To a W. Oak 24 in. dia: in the line.
71.71	" " B. Jack 12 " " " " "
80.00	Set a post for the cor of sw. 32. + 33 from which a B. Jack 12 in. dia: bend. S 41 W. 4 links dist; 1 a L. 10 " " " N 76 1/2 E. 44 " "
	This mile land and glady land; sometimes under water; Timber Elm Maple B. Jack &c

Wish	On the South Boundary of sw. 32. T. 1. N. R. 5 W.
40.00	Set a 7/4 cu. post in a quaking. Aspen thicket; no trees near for bearing
48.95	To Kentucky road; Course S 60 E. + N 20 W.
52.48	To an Elm 14 in. dia: in the line

29

T. N. 1. N. R. N. 5 W. 2nd Mer. Surd.

80.00	Set a post for the cor of sec. 31 & 32 from which a Gum 12 in. diam. bears. N 65 W. 12 links east; & a Hickory 10 " " " S 6 W. 29 " " Land well ande glady; Timber some Oak;
Well	On the South Boundary of sec. 31. T. 1. N. R. 5 W.
10.55	To a W. Oak 24 in. diam. in the line.
35.57	To a Maple 20 " " " " "
40.00	Set a Mer. post from which a Gum 20 in. diam. bears. N 60 W. 51 links east; & a Maple 30 " " " S 8 E. 28 " "
61.60	To Bend of Kentucky road; Corner N 70 W. N. E.
68.88	To a W. Oak. 20 in. diam. in the line.
80.00	Set a post for the cor of sec. 31 & 36. T. 1. N. R. 5 & 6 W. from which a W. Oak. 30 in. diam. bears. N 39 W. 50 links east and a Poplar. 24 " " " S 54 E. 33 " " Land on this mile line what well & glady; Last yr wood; Timber Oak, Hickory, Poplar, Buck, Hog wood undergrowth Spruce & Maple.
Surveyed by. E. Buckingham L.S.	

East Boundary	
North	On the East Boundary of sec. 36. T. 1. N. R. N. 5 W.
40.00	Set a Mer. post from which a Sugar. 7 in. diam. bears. S 5 W. 3 links east; & a Do. 8 " " " N 20 E. 29 " "
80.00	Set a post for the cor. of sec. 25 & 36 from which a W. Oak. 5 in. diam. bears. N 60 W. 7 links east; & a Do. 6 " " " S 42 E. 27 " " Land broken; Timber Poplar, Dog wood, Sugar Oak, Aspen, & Hickory

J. N<sup>o</sup> 1. N.R. N<sup>o</sup> 5 W. 2<sup>nd</sup> Mer. Ind.

- North On the East Boundary of Sec. 25 T. 1. N.R. 5 W.  
 17.00 To the Bed of a stream; 3 links wide; Course E.  
 40.00 Set a 7/8 in. post from which on  
 Ash, 9 in. dia. bore. N 69 E. — links east; & a  
 Poplar 4 " " " S 46 N. 20 " "  
 50.00 To the Bed of a stream 6 links wide; from  
 80.00 Set a post for the cor of sec. 24 & 25 from which  
 Hick 7 1/2 in. dia. bore. S 88 E. 54 links east; & a  
 Do. 14 " " " N 80 W. 6 " "  
 Sand & R. 1/2 mile broken; Timber Oak, Hick & N.  
 " 2<sup>nd</sup> 1/2 " R. rate; " Ash, Sugar & Walnut.

- ( North On the East Boundary of sec. 24 T. 1. N.R. N<sup>o</sup> 5 W.  
 10.30 To the Bed of a stream or bayou, 30 links wide; Co. N.W.  
 24.50 To the Left Bank of White River. The distance to the  
 water edge on the other bank in the direction of our  
 line is 4 ch. 24 links; The river runs S 67 W.  
 Sayd from the last post good bottom; Timber  
 Sugar, Walnut. & Friday Nov. 2<sup>nd</sup>  
 North From the Station on the Bank of White River where  
 the distance North of the cor of sec. 24 & 25 on the East  
 range line is 30 ch. 21 links east;  
 35.00 To a perpendicular ledge of rocks 4 feet high.  
 40.00 Set a 7/8 in. post from which  
 Sugar. 12 in. dia. bore S 86 E. 29 links east; & a  
 Hick 7 1/2 " " " S 23 W. 36 " "  
 Sand from the River on Oak, ridge  
 55.00 To the bed of a Run. 2 links wide; Course N.  
 ( 80.00 Set a post for the cor of sec. 13 & 24 from which  
 Beech. 14 in. dia. bore. N 6 W. 8 links east; & a  
 Do. 12 " " " S 37 W. 38 " "  
 Sand broken; Timber Oak, & Beech,  
 Monday Nov. 19.

T. N. 1. N. R. N. 5 W. 2<sup>nd</sup> Mn. Sec.

North	On the East Boundary of Sec. 13. T. 1 N. R. 5 W.
20.50	To a Buck. 24 in. diam. in the line.
30.10	" " Buck 4 links wide; Course S. W.
38.80	" " Buck. 15 in. diam. in the line.
40.00	Set a $\frac{1}{4}$ section post from which a
	Chum 8 in. diam. bears S 52 W. 20 links out; to
	Buck. 6 " " " N 11 E. 19 " "
47.03	To a Buck 4 links wide; Course S. W.
55.00	" " Buck. 15 in. diam. in the line. (Tuesday. Nov. 20)
63.20	" the Bed of a Run 2 links wide; Course S. W.
80.00	Set a post for the cor. of Sec. 12 & 13. from which a
	Hog wood 8 in. diam. bears S 85 E. 15 links out; to
	Chum. 8 " " " N 78 W. 26 " "
	Land Broken; N. $\frac{1}{2}$ mile open woods; Timber Buck,
	Oak Lime & 2 <sup>nd</sup> $\frac{1}{2}$ Timber Oak, Hickory, Gum, &

North	On the East Boundary of Sec. 12. T. 1. N. R. 5 W.
8.10	To the Bed of a Run
19.55	" " " " " 3 links wide; Co. —
21.16	To an N. Oak 18 in. diam. in the line.
25.12	" the Bed of a Run 2 links wide; Course N. E.
31.58	To an N. Oak 36 in. diam. in diam. in the line.
40.00	Set a $\frac{1}{4}$ section post from which a
	Buck. 8 in. diam. bears S 33 E. 6 links out; to
	Co. 12 " " " N 34 W. 46 " "
44.75	To the Bed of a Run 2 links wide; Course N.
57.30	" " " " " 4 " " " N. W.
60.00	" " " " " 15 " " " N. E.
75.40	" " " " " — " " " S. E.
80.00	Set a post for the cor. of Sec. 1. & 12 from which a
	N. Oak, 18 in. diam. bears S 70 E. 38 links out; to
	Co. 15 " " " N 53 W. 86 " "
	Land N. $\frac{1}{2}$ mile broken; Timber Oak 1 Buck, &



T. N. 1. N. R. N. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>n</sup>

Land 2<sup>nd</sup> 1/2 mile flat; Timber Oak & Birch, &

North Out the East Boundary of cu. 1. T. 1. N. R. 5 W.  
 133. To a W. Oak, 18 in. diam. in the line.  
 40.00 Set a 1/4 cu. post from which a  
 W. Oak. 11 in. diam. bears S 88 E. 35 links dist; & of  
 Lo. 12 " " " N 73 W. 31 " "  
 80.00 Set a post for the cor. of T. 1 & 2 N. R. 4 & 5 W. from  
 which a W. Oak. 24 in. diam. bears N 40 W. 28 links dist.  
 and a B. Oak 8 " " " S 76 E. 67 " "  
 Land broken; Timber Oak & Birch.

#

### North Boundary

West Out the South Boundary of cu. 35. T. 2. N. R. 5 W.  
 4.25 To a Brook. 3 links wide; Course N. W.  
 4.43 " " Lo. 10 " " " S.  
 40.00 Set a 1/4 cu. post from which a  
 Ash. 12 in. diam. bears N 59 W. 10 links dist; & of  
 Hick 16 " " " S E. 30 " "  
 41.00 To a Run. 2 links wide; Course S. E.  
 80.00 Set a post for the cor. of cu. 35 & 34 from which a  
 Hick 15 in. diam. bears N 22 E. 45 links dist; & of  
 Lo. 15 " " " S 59 W. 30 " "  
 Timber Oak & Hick 1/2

West Out the South Boundary of cu. 34 T. 2 N. R. 5 W.  
 13.26 To a Run 3 links wide; Course S then crossed it twice  
 18.57 " " Lo. 2 " " " S.  
 21.18 To the Bed of a Run 1 W. wide; Course S.  
 40.00 Set a 1/4 cu. post from which on  
 Ash. 12 in. diam. bears N 59 W. 10 links dist; & of  
 Hick 16 " " " S E. 30 " "  
 72.00 To a Run. 12 links wide; Course S.



T. N. 1. N. R. N. 5 W. 2nd Mer. Sud.?

80.00 Set a post for the cor of sec. 33 & 34 from which a  
W. Oak. 18 in. dia. bears S 26 E. 28 links due; & a  
R. Oak. 12 " " " N 56 W. 38 " "  
Land flat; Timber Oak, Hickory & Gum.

Wash On the South Boundary of sec. 33. T. 2 N. R. 5 W.  
21.50 To a Run 10 links wide; Course S.  
40.00 Set a 1/4 sec. post from which a  
Red Oak, 11 in. dia. bears S 3 W. 27 links due; & a  
W. Oak 8 " " " N 16 E. 26 " "  
48.60 To Run 1 1/2 links wide; Course S.  
52.00 " " 2 " " " S. E.  
80.00 Set a post for the cor of sec. 32 & 33 from which a  
W. Oak. 36 in. dia. bears S 22 E. 9 links due; & a  
Loc. 11 " " " N 4 W. 49 " "  
Land level; Timber Oak, Hickory & Dog wood &

\* The following Town line was omitted in its proper place  
Wash On the South Boundary of sec. 36. T. 2 N. R. 5 W.  
34.00 To the Bed of a Run 1 link wide Sec. N. E.  
40.00 Set a 1/4 sec. post from which a  
R. Oak 7 in. dia. bears N 4 W. 42 links due; & a  
Loc. 5 " " " S 69 E. 37 " "  
65.43 To the Bed of a Run 2 links wide, Course N. W.  
70.60 " " " " " 2 " " S.  
80.00 Set a post for the cor of sec. 35 & 36 from which a  
Oak 20 in dia. bears N 42 E. 45 links due; & a  
Oak 18 " " " S 13 E. 36 " "  
Land N. E. 1/2 mile, barrens & brushy; Timber Oak,  
& Persimmon; 2nd 1/2 mile; Broken barrens: brush  
& Oak, &c

Wash On the South Boundary of sec. 32. T. 2 N. R. 5 W.

## T. N. 1. S. R. N. 5 W. 2nd Mer. Ind.

- 31.00 To a Run 3 links wide, Course S.  
 40.00 Set a 7/4 sec post from which a  
 Gum. 18 in. dia: bears N 44 W. 5 links dist; & a  
 Poplar. 30 " " " Ob 8 E. 28 " "  
 53.50 To a Brook 12 links wide, Course S.  
 55.20 " " Do. 12 " " " N. E.  
 57.00 " " Do. 12 " " " N. E.  
 80.00 Set a post for the cor of Lot 31 & 32 from which a  
 W. Oak. 10 in. dia: bears N 22 E. 19 links dist; & a  
 Y. Oak. 30 " " " S 75 W. 32 " "  
 This mile is broken land; Timber Oak, Hickory  
 Log wood

- West Cut the South Boundary of Sec. 31. T. 2. S. R. 5 W.  
 18.57 To the Bed of a Run 1 link wide, Course S. W  
 40.00 Set a 7/4 sec post from which a  
 W. Oak. 18 in. dia: bears N 17 W. 33 links dist; & a  
 Gum. 18 " " " South 77 " "  
 78.94 Intersect the N & S Range line 143 links North  
 of the Township corner.  
 Small Broken Timber Oak & Hickory & c. (Gum Woods)  
 Surveyed by  
 David Sanford h. d.

## West Boundary

- North Cut the East Boundary of Sec. 36. T. 1 S. R. 6 W.  
 0.04 To a Gum. 6 in. dia: in the line  
 10.22 " " Poplar 18 " " " "  
 12.10 " " Branch 3 links wide, Course N 25 W.  
 32.16 " " Hickory 30 in. dia: in the line  
 39.00 " " Branch 4 links wide, Course N 50 W.  
 40.00 Set a 7/4 sec. post from which a  
 W. Oak. 12 in. dia: bears S 25 W. 4 links dist; & a

T. N. 1. N.R. No 57. 2<sup>nd</sup> Mer. Sud. 2

62.25	W. Oak. 12 in. diam. bears N 37 E. 10 links dist;
73.25	To a Branch 3 links mid, course W.
80.00	" " Gum 22 in. diam. in the line.
	Set a post for the cor. of sec. 25 & 36 from which a
	Bech. 8 in. diam. bears S 70 1/2 E. 19 links dist; & a
	W. Oak. 15 " " " N 87 1/2 W. 39 " "
	Land here; Timber Oak, Bech, & Poplar,
North	On the East Boundary of sec. 25. T. 1. N.R. 6 W.
11.50	To a Branch. 2 links mid, course N 25 W.
12.41	" " W. Oak, 20 in. diam. in the line.
17.25	" " Do. 21 " " " " "
21.71	To a Branch, 2 links mid, course S 20 W.
23.54	" " Do 4 " " " " West
27.91	" " Do. 3 " " " " S 10 W.
40.00	Set a 1/4 support from which
	Sugar. 6 in. diam. bears N 21 E. 5 links dist; & a
	Ash. 7 " " " S 10 E. 16 " "
49.25	To a Bech 24 in. diam. in the line
70.00	" " Branch. 30 links mid, course N 80 E.
75.00	" " Do. 30 " " " " N 10 W
80.00	Set a post for the cor. of sec. 24 & 25 from which an Elm 20
	in diam. bears N 55 1/2 E. 18 links dist; & Maple W. S. S. 20 E. 29 links dist.
	Land here and mostly bottom; Timber Bech, Oak, & Poplar
North	On the East Boundary of sec. 24 T. 1. N.R. No 6 W
5.56	To an ash. 3 in. diam. in the line
6.40	To a Branch 30 links mid; Course N. 50 E.
9.00	" the same 30 " " " " N 10 W
12.41	" " same " " " " " N 20 E.
16.31	" " same " " " " " N 85 W
20.12	To a Poplar. 48 in. diam. in the line
22.00	To a Gum 34 " " " " "

T. N. 1. N. R. N. 541. 2<sup>nd</sup> (Mn. Ind.)

40.00	Set a 1/4 sec post from which a Gum 38 n. 10. S 70 W. 32 lbs ash; and on Oak 24 in. dia. bears N 77 E. 6 lbs ash; &
71.10	To the Left BK of White River. Nov. 30. 1804
78.60	" " 90 BK of White River.
80.00	Set a post for the cor. of sec. 13 & 24 from which a Sugar 14 in. dia. S 51 E 34 lbs; & a Sugar 12 in. dia. bears N 81 W 28 lbs ash; Sand bottom flat mts; Timber Beech, Poplar, Oak, & Sugar & Gum.
North	On the E. Boundary of sec. 13. T. N. 6 W. Jan. 13. 1805
6.25	Ascend a steep hill; and large free stone rocks.
40.00	Set a 1/4 sec. post from which a Sugar 15 in. dia. S 39 W. 38 lbs & Gum. 27 bears N 73 E 49 lbs ash;
70.50	To a Beech 10 in. dia. stands in the river.
80.00	Post cor. of 12 & 13. Beech 18 S 67 W. 16 lbs Beech 15 S 74 E 10 lbs ash Sands hilly; Timber Oak, Poplar, Beech,
North	On the East Bound. of sec. 12. T. N. 6 W.
26.13	To a Poplar 33 in. dia. in the river
40.00	Set a 1/4 post; Elm 15 S 36 E 15 & a W. Oak 20 N 66 W. 39 lbs ash
62.09	To a Branch. 12 lbs. middle; Sec. S 70 W.
80.00	Post cor. of sec. 1 & 12; S. Oak 14. N 62 E 40 & a Poplar 24 N 45 W. 39 Sand low ridges; Timber Oak, & Poplar.
North	On the East Bound. of sec. 1. T. N. 6 W.
15.00	To a B. Oak 20 in. dia. in the river.
40.00	Set a 1/4 post Hick 12. N 63 E 25 & a Hick 10. N 81 W. 17
50.70	To a W. Oak 18 in. dia. in the river
67.80	" " Do. 17 " " " "
80.00	Set a post for the cor. of S. 1 & 2 N. 546 W. from which a B. Oak 24 in. dia. N 23 W. 27 & a Hick 10 S 14 E 34 lbs. Level upland; Timber Oak Hick, Poplar, Jan. 23. 1805.
Surveyed by Robt. Stubb & Jacob. Fowler D. S.	



Subdivisions

North	Between Sec. 35 & 36. T. N. 1. N. R. 5 W.
7.50	To a Brook 3 links wide,
20.40	" the bed of a stream course S. E.
24.50	" " " " " 3 links wide, course S. E.
33.50	To Louisville trace
37.50	To a Brook 3 links wide, course N. E.
40.00	Set up a post from which a
	Beck. 9 m. dist. bears N 21 E. 33 links dist; & a
	Co. 14 " " " S 20 W. 43 " "
47.50	To a Brook 4 links wide course N. W.
53.50	" " " 4 " " " N. W.
62.00	To the bed of a stream 2 links wide, course N. W.
80.00	Set a post for the cor. of sec. 25, 26, 35 & 36 from which a
	Beck. 12 m. dist. bears N 10 E. 64 links dist; & a
	Co. 18 " " " S 16 E. 54 " "
	Land broken; Timber 7 Beck,

East	Between Sec. 25 & 36. T. 1. N. R. 5 W.
17.50	To the bed of a stream 4 links wide course N. W. 68
40.50	" " " " " " " " " " " N
49.50	" " " " " " " 4 " " " " N + S
80.41	Intersect the East Boundary of 75 links South of the
	post cor. of sec. 25 & 36.
	The 1/4 sec post between Sec. 25 & 36. Lands are broken
	Beck, lands; from which a
	Beck. 18 m. dist. bears N 10 E. 23 links dist; & a
	Co. 14 " " " N 37 E. 40 " "
	Land broken; Timber Beck, Poplar, Oak, &

North	Between Sec. 25 & 36. T. 1. N. R. 5 W.
7.00	To the bed of a stream 5 link wide, Co. S. E.
15.00	To a Brook 10 link wide, course E.



I. N. 1. N. R. N. 5 W. 2nd Mer. Ind.

40.00 Set a 7/4 support from which a  
 Buck. 30 in. dia. beam S 37 W. 37 lbs. web; & a  
 Ld. 6 " " " N 44 E. 3 " "  
 73.00 To the bed of a Brook. 3 lbs. mid. Corner N.E.  
 80.00 Set a post for the cor of cul. 23, 24, 25 & 26 from which a  
 Buck. 9 in. dia. beam. N 20 E. 44 lbs. web; & a  
 Ld. 10 " " " S 25 W. 18 " "  
 Sand N. 1/2 mile flat; Timber Buck, Sugar, Poplar  
 " 2 1/2 " broken " " " Ground

East Return Cul. 24 & 25 I. N. R. 5 W.  
 14.00 To the bed of a stream 4 links mid. Corner N  
 16.35 " " " " " 8 " " " S. E  
 26.60 " " " " " 2 " " " N. W.  
 37.50 To the Left Bank of White River; Half mile post is  
 below high water mark from which a  
 Buck. 18 in. dia. beam. S 77 W. 2.31 lbs. web; & a  
 Ld. 30 " " " S 10 E. 245 " "  
 74.75 To the bed of a stream 3 links mid. Corner N  
 (73.868) " " " " " 10 " " " N  
 80.44 Intersected the East Boundary 40 links South of the  
 post cor of cul. 24 & 25.  
 Sand post broken; Timber Buck; post thin bottom down

( North Return Cul. 23 & 24 I. N. R. 5 W.  
 25.00 Lay chains from the edge of a large pond on our left  
 40.00 Set a 7/4 support from which on Saturday Nov. 3.  
 Cul. 10 in. dia. beam. S 40 W. 33 lbs. web; & a  
 Ld. 11 " " " N 56 E. 17 " "  
 The tree post is in the edge of a cane brake.  
 Sand broken; Timber Buck; Bottom Sugar, etc.  
 51.00 To the right Bank of White River; the river is 3.31 lbs  
 mid; in the direction from line; Corner N 60 W.

T. N. 1. N.R. N. 5 W. 2<sup>nd</sup> Mer.

North From the Bank of White River when our reckoning on the  
 mound from the cor of sec. 23, 24, 25 + 26 is 56 ch. 50 lks  
 75.11 To a Buck. 24 in. dia. in the line.  
 80.00 Set a post for the cor of sec. 13, 14, 23 + 24 from which a  
 Buck. 10 in. dia. bears S 44 E. 20 links due; &  
 Co. 12, " " N 45 W. 35 " "  
 Land broken; Timber Buck + Oak  
 This line runs about 1 ch. West of a large pond which ex-  
 tends a considerable distance beyond the post; North  
 Saturday Nov. 17.

East Return Sec. 13 + 24 T. N. R. 5 W  
 South Made an Offset 18 ch. 50 links across with a large pond; then  
 East 12.85 lks to a stream 15 lks wide; corner S  
 21.50 Station at the side of a swamp adjoining the pond; then  
 South 18.00 ch. Station 2 links N 30 E. of a N. Oak. 24 in. dia. + S 63 E.  
 E. 50 links of a Buck. 30 in. dia. then  
 East 11.37 To an Arm of the pond about 1 ch. wide;  
 16.50 Station 3 links S 68 E. of Buck. 24 in. dia. + N 68 W. 30 lks from  
 a Buck. 30 in. dia. then  
 North 23.40 Run of a Large Spring 2 lks wide; Co. W.  
 23.50 To the run of a Spring; 1 lks wide; Corner S. W.  
 24.50 " " " " " " " " S. W.  
 25.29 Large run of a Spring 4 lks wide; Corner W.  
 27.50 To the run of a Spring Corner W.  
 36.50 Station 38.00 ch. East of the above mentioned corner; then  
 Land about the pond has been generally 2<sup>nd</sup> rate; Timber  
 Buck, Oak &c.  
 East From the cor of sec. 13, 14, 23 + 24  
 39.66 Set the 1<sup>st</sup> post at the corner due in the line from which  
 Buck. 24 in. dia. bears S 88 E. 20 links due; &  
 Co. 8 " " " N 69 W. 14 " "  
 48.00 To the bed of a stream 3 lks wide, corner S

T. N. 1. N.R. N. 5 W. 2<sup>nd</sup> Mer. Ind.

- 57.00 To the bed of a stream 2 M. wide, Course S  
 78.50 " a Run 1 mile wide, Course N  
 79.32 Enter at the N. & S. Range line or East Boundary 100  
 miles South of the foot corner of Sec. 13 & 24  
 Lands broken Timber Beech, ash & Sugar,

- North Return Lat. 13 & 14 T. 1. N.R. 5 W.  
 6.60 To the bed of a Run 2 miles wide, Course E & W.  
 29.79 " " Run of a Spring 1 M. wide; Course N & S. W.  
 36.45 " " bed of a Run 1 " " " S.E.  
 40.00 Set a new post from which a  
 Beech. 15 in. diam. bears N 33 W. 15 miles dist; & a  
 Loc. 9. " " S 56 E. 47 " "  
 45.65 To the bed of stream 2 M. wide,  
 46.25 " a stream 50 miles wide Course W.  
 58.81 " " same 50 " " " W.  
 61.02 To a Beech 18 in. diam. in the river.  
 80.00 Set a post for the cor. of Sec. 11-12. 13 & 14 from which a  
 Elm. 12 in. diam. bears S 55 E. 45 miles dist; & a  
 Beech. 18 " " " N 72 W. 34 " "  
 Lands broken; Timber Beech, Oak, Sugar, & Poplar,

- East Return Lat. 12 & 13 T. 1. N.R. 5 W.  
 18.00 To the bed of a stream almost any 25 M. wide, Co. N.W.  
 18.60 " " Run of a Spring; Course S. W.  
 21.20 To a Poplar. 60 in. diam. in the river.  
 40.00 Set a new post from which a  
 W. Oak. 20 in. diam. bears N 34 W. 24 miles dist; & a  
 R. Oak 20 " " " N 66 E. 42 " "  
 44.04 To the Run of a Spring 1 M. wide; Course S. W.  
 80.66 Enter at the East Boundary 120 miles South of the foot  
 cor. of Sec. 12 & 13.  
 Lands broken; Timber Oak, Hickory, & Beech

311

T. N. 1. N.R. N. 4 W. 2<sup>nd</sup> Mer. Ind?

North	Between Sec. 11 & 12 T. 1. N.R. 5 <sup>th</sup> W.
2.65	To the bed of a Run. 15 links mid, Course N.E.
4.80	" " " " Stream Course N.W.
21.65	" " " " " " E.
22.45	To a White Oak 18 in. diam in the line.
40.00	Set a 7 <sup>th</sup> Sec. post from which Yum. 8 in. diam. bears N 24 W. 31 links dist; & g L.O. 9 " " " S 63 E. 2 " "
42.91	To the bed of a Run 1 <sup>st</sup> link mid, Course E.
80.00	Set a post for the cor. of Sec. 12, 11. & 12 from which W. Oak. 18 in. diam. bears N 51 E. 23 links dist; & g Heiky 18 " " " S 82 W. 11 " " Land broken; Timber Oak, Heiky, Dogwood.

East	Between Sec. 1 & 12 T. 1. N.R. 5 <sup>th</sup> W.
28.00	To the bed of a Run 1 link mid; Course S.E.
39.88	" " bed " " 2 " " " S.
(40.05 <sup>1</sup> / <sub>2</sub> )	Set a 7 <sup>th</sup> Sec. post from which W. Oak 16 in. diam. bears N 76 E. 15 links dist; & g Oak 9 " " " S 63 W. 27 " "
77.50	To the bed of a Run. 3 links mid; Course S. . E.
80.11	Enter at the East Boundary 102 links South of the post cor. of Sec. 1 & 12 Land 1 <sup>st</sup> 1/2 mile brushy barrens; Timber Oak, Hack. & Poplar " 2 <sup>nd</sup> " Broken; Timber Oak & Heiky

North	Between Sec. 1 & 2 T. 1. N.R. 5 <sup>th</sup> W.
13.60	To the bed of a Run. Course E & W
16.50	" " " " " " W
26.26	To a Buck, 18 in. diam in the line.
40.00	Set a 7 <sup>th</sup> Sec. post from which Heiky 5 in. diam. bears S 79 E. 22 links dist; & g W. Oak. 12 " " " S 76 W. 45 " "



T. N. 1. N.R. N. 5 W. 2<sup>nd</sup> Mer. Sud.

62.00	To the bed of a Run 2 links mid; Course N. W.
77.60	" a Run. 5 links mid; Course E. W.
81.25	Enter at the N. Boundary 25 links West of the first cor of sec. 35 & 36. T. 2. N.R. N. 5 W. from which a Oak 20 in. diam. bears N 58 E. 64 links dist; & a Oak. 18 " " " 94 E. 49 " "
Land on this side broken then flat Timber Oak & Hickory	
North	Return Sec. 34 & 35. T. 1 N.R. 5 W.
6.08	To a Brook. 36 in. diam. flows in the line
15.00	To a Brook. 3 links mid; Course N. E.
20.00	" " Same " " " " N. E.
39.30	To Lewisville town
40.00	Set a 1/4 section post from which a
	Stooping Buck 18 in. diam. bears S 62 E. 27 links dist; & a
	do. 7 " " " N 7 E. 22 " "
42.20	To a stream 4 links mid; Course N. W.
49.00	" " do. 6 " " " S. W.
50.28	" " Hickory 8 in. diam. in the line.
51.50	To the long bed of a run 4 links mid; &
80.00	Set a post for the cor. of sec. 26. 27. 34 & 35 from which a
	Buck. 12 in. diam. bears S 15 E. 40 links dist; & a
	Sugar. 9 " " " N 16 W. 10 " "
	Land N. 1/2 mile broken; Timber Buck, Poplar, some
	Sugar; 2 <sup>nd</sup> 1/2 " flat; " " "
East	Return Sec. 26 & 35 T. 1. N.R. 5 W.
12.90	To a stream 2 links mid; Course " N
27.00	" " " " " S. W.
40.00	Set a 1/4 section post from which a
	Buck. 36 in. diam. bears N 14 W. 37 links dist; & a
	do. 9 " " " S 43 W. 17 " "
41.00	To a Brook 2 links mid; Course S. W.





## T. N. 1. N. R. N. 5 W. 2nd Mer. Ind.

- 30.00 To a Run 3 links mid, Corner N  
 Set a 70 support from which a  
 Run. 24 in. air: bears N 76 E. 26 links arb; t a  
 Buck. 18 " " " S 57 N. 34 " "  
 This post stands in the form of a hill; Sand broken;  
 Limbs Buck, Poplar, much Spruce & other underwood.
- 41.79 To the bed of a Run 2 links mid, Corner N. W
- 62.20 To the Left Bank of White River.  
 About 20 chains down the bank of the river from the  
 place where this line meets it; there is a considerable  
 stratum of excellent coal under a ledge of rocks  
 that faces the river. Tuesday Nov. 13

- North Between Sec. 22 & 23 T. 1. N. R. N. 5 W.
- 40.00 Set a 70 support from which a  
 Buckeye 10 in. air: bears S 48 W. 19 links arb; t a  
 Do. 14 " " " S 84 E. 25 " "  
 Sand N. rate bottom; Limbs Walnut Sugar, Hard  
 berry Mahogany Buck &c. Spruce undergrowth.
- 63.34 To a spruce, 48 in. air: in the line.
- 64.63 " the bed of a Run 2 links mid, from
- 80.00 Set a post for the cor. of sec. 14, 15, 22, & 23. from which a  
 Buck. 18 in. air: bears S 78 E. 23 links arb; t a  
 Sugar. 24 " " " S 76 W. 17. " "  
 Sand broken Limbs Buck, Poplar, Sugar,  
 thick with brush.

- East Between Sec. 14 & 23 T. 1 N. R. 5 W.
- 6.50 To a Brook 35 links mid, Corner N 25 E.
- 21.00 " " Same 35 " " " S.
- 39.66 Set the 70 support at an arb on the true line from which a  
 Buck. 24 in. air: bears S 88 W. 14 links arb; t a  
 Do. 12 " " " N 57 E. 37 " "

42.00 To the Run of a spring 1 lk wide, Corner N. E.  
 43.00 To a Swamp in the direction of the line 2.50 wide.  
 30.42 To a Run of a spring 1 link wide, Corner S. W.  
 38.50 " " " " " " " " " " " " S. W.  
 49.32 Intersub the N. W. line 121 links North of the first cor off  
 Lat. 13. 14. 23 & 24

North Return Lat. 14. & 15 T. 1. N. R. N. 5 W.  
 2.67 To a Brook 50 links wide, Corner W.  
 16.91 To a Sugar, 18 in. dia<sup>r</sup> in the line  
 20.71 To a Bush 20 " " " " "  
 22.00 To the bed of a Stream 2 links wide, Corner S. E.  
 40.00 Set a 1/4 cu post from which a  
 Bush 18 in. dia<sup>r</sup> trans. S 84 E. 37 links dist; & 2  
 65.25 To the bed of a Run 70 links wide, Corner S. W. S 85 W. 29.  
 80.00 Set a post for the cor. off Lat. 10. 11. 14 & 15 from which a  
 Bush 10 in. dia<sup>r</sup> trans. N 81 E. 37 links dist; & 2  
 Ho. 9 " " " " " " " " " " " " N 89 W. 29. "  
 Sand flat; Timber Bush, & Maple.

East Return Lat. 11. & 14 T. 1. N. R. N. 5 W.  
 18.32 To the bed of a Run 2 lks wide, Corner N. E.  
 24.34 To a Brook 4 links wide, Corner S. E.  
 39.77 Set the 1/4 cu post at the am. dist on the true line from which a  
 W. Oak 24 in. dia<sup>r</sup> trans. N 53 W. 38 links dist; & 2  
 Small Run 2, " " " " " " " " " " " " S 24 E. 22 " "  
 49.00 To the bed of a Run 2 links wide, Corner N. S.  
 57.50 " " " " " " " " " " " " S. E.  
 79.54 Intersub the Meridian line 1. Ch<sup>r</sup> 3 links North of the  
 first cor off Lat. 11. 12. 13 & 14  
 Sand flat; Timber Oak, Maple, Gum & Hickory.

North Return Lat. 10 & 11 T. N. 1. N. R. 5 W.

D. N. 1. N. R. N. 577. 2<sup>nd</sup> Mer. Sud?

4.01	To a Buck. 12 in. diam. in the line
15.93	" " W. Oak 14 " " " "
31.77	" " " Buck. 10 " " " " "
34.00	To a Run. 2 links wide, Corner S. E.
40.00	Set a 40 support from which
	B. Oak, 18 in. diam. trunk N 24 W. 30 links dist; & a
	W. Oak 9 " " " " 436 E. 26 " "
	Sand broken; Tinted Oak, Hickory & Buck,
48.00	To a Black Run 30 in. diam. in the line.
48.98	" the Bed of a Stream 2 links wide, Corner E.
53.50	" " " " Run. 2 " " " E.
69.23	To a W. Oak 9 in. diam. in the line; On a Gravelly ridge
80.00	Set a post for the cor. of sec. 2, 3, 10 & 11 from which
	Red Oak, 30 in. diam. trunk N 55 W. 6 links dist; & a
	W. Oak 11 " " " " 446 E. 17 " "
	Sand broken; Tinted Oak, Hickory: Strong

East	Return Sec. 2 & 11. T. 1 N. R. 577.
13.85	To a Run. 3 links wide, Corner . S
38.00	" the bed of a Run Corner . S
39.49	Set a 40 support at the corner dist in the line from which
	Buck. 20 in. diam. trunk. 54 W. 20 links dist; & a
	Lo. 5 " " " " 57 E. 37 " "
	Sand flat; Tinted Oak, Hickory &
40.50	To a Run 3 links wide, Corner . S
43.50	" " " 5 " " " " S.
45.70	To the bed of a Run 6 links wide, Corner S. E.
54.00	" " bed " " 6 " " " S. E.
59.00	" " " " " 5 " " " N. & S.
62.25	" " " " " " " " N. & E.
75.97	Intersect the N 53 W line 1.04 links North of the flat cor. of
	Sec. 1, 2, 11 & 12
	Sand flat Tinted Oak, Hickory Tuesday Nov. 27 1874



317

T. N. 1. N.R. N. 57. 2<sup>nd</sup> Mer. Sec. 5

North Between Sec. 21 & 23 T. N. 1. N.R. 57.

2.10 To a Run 2 links wide, Comes E.

5.87 To a Buck 18 in. diam. Stands in the line

40.00 Set a 7/4 sec. post from which on

Oak 18 in. diam. bears North 15 links east; & on

Elm 9 " " " S 4 E. 9 " "

Ground flat; Timber Oak, Buck &

43.15 To the bed of a Run 2 links wide, Comes N.W.

48.50 To a Run 6 links wide, Comes West

62.00 To a Run 1 " wide, Comes S.E.

64.00 To a Poplar 20 in. diam. in the line.

80.12 Enter the N. Boundary 17 links East of the post on

from 34 & 35 T. 2 N.R. 57 from which on

Heiky 15 in. diam. bears N 17 W. 44 links east; & on

Lo. 15 " " " S 70 W. 46 " "

Ground in this mile flat & bushy; Timber Oak, Heiky

Buck &.

North Between Sec. 33 & 34 T. N. 1. N.R. 57.

25.50 To a Poplar 48 in. diam. in the line.

40.00 Set a 7/4 sec. post from which on

Poplar 48 in. diam. bears N 83 E. 28 links east; & on

B. Oak 14 " " " S 62 W. 20 " "

Ground flat; Timber Oak, Buck, & Poplar.

46.00 To a Stream 4 links wide, Comes E.

55.95 To a W. Oak 14 in. diam. in the line.

80.00 A W. Oak 18 in. diam. stands for 2<sup>nd</sup> sec. 27, 28, 33 & 34 from which

a W. Oak, 24 in. diam. bears S 58 W. 42 links east; & on

Lo. 24 " " " S 35 E. 85 " "

Ground bush; Timber Oak, Poplar & Heiky

East Between Sec. 27 & 34 T. 1. N.R. N. 57.

15.50 To the bed of a Stream 2 links wide, Comes N



T. N. 1. N.R. N. 5 W. 2<sup>nd</sup> Mer. Sud.

- 35.00 To a Brook 10 links mid, Corner N. W.  
 40.05 Set a  $\frac{1}{4}$  Sec post at the aver ditch on the true line from which  
 a Buck 10 in. dia<sup>r</sup> beam. East 46 links ditch; & a  
 Do. 18 " " " N 83 W. 46. " "  
 Sand hill; Tintu Oak, & Poplar.  
 80.10 Intersect the N 83 W. 21 links South of the Post cor.  
 of sec. 26, 27, 34 & 35  
 Sand hill & flat; Tintu Buck, Maple, Sugar, & Oak.

North Between Sec. 27 & 28 T. N. 1. N.R. 5 W.

- 14.19 To a W. Oak 12 in. dia<sup>r</sup> in the line.  
 15.14 To a stream 2 links mid, Corner E.  
 27.75 " " Do. 1 " " " E.  
 40.00 Set a  $\frac{1}{4}$  Sec post from which a  
 Poplar 36 in. dia<sup>r</sup> beam N 65 W. 75 links ditch; & a  
 W Oak 24 " " " S 74 E. 45 " "  
 Sand flat; Tintu Oak, & Poplar, but little underwood  
 80.00 Set a post for the cor. of sec. 21, 22, 27, & 28 from which  
 a Poplar 9 in. dia<sup>r</sup> beam N 146.47 links ditch; & a  
 W Oak 30 " " " N 70 W 70 " "  
 Soil upland; Tintu Poplar & Oak, & much  
 undergrowth, briars &c.

East Between Sec. 22 & 27 T. 1. N.R. N. 5 W.

- 5.25 To the bed of a Run 2 links mid, Corner S. E.  
 19.50 To the Left Bank of White River; where the river is  
 4.00 across in an East direction; Monday 12<sup>th</sup> Nov.  
 West From the corner of sec. 22, 23, 26 & 27 between Sec. 22 & 27  
 40.15 Set a  $\frac{1}{4}$  Sec post at the aver. ditch on the true line from which  
 a Buck 18 in. dia<sup>r</sup> beam. S 44 W. 57 links ditch; & a  
 Buckeye 12 " " " N 71 E. 43 " "  
 56.75 To the Right Bank of White River  
 Sand, 1<sup>st</sup> rate bottom; Tintu Sugar, Ash, Hackberry

319

T. N. 1. N. R. N. 5 W. 2<sup>nd</sup> Mer. Ind. a.

Honey Locust Mahogany Walnut, Buckeye &c.

North	Return Sat. 21. & 22 T. N. 1. N. R. N. 5 W.
26.50	To a Hick 18 in. dia: stands in the line
40.00	Set a 74 apart from which a
	Buck. 8 in. dia: bund. N 79 E. 12 links dist; & a,
	Do 20 " " " 948 N. 46 " "
	Land part 1 <sup>st</sup> rate bottom land Tinto Walnut, Sugar,
	Honey Locust & Buck 1/2. & part Oak, Sand.
46.00	To the Left Bank of White River; The River is 4.18 acrs
	in the direction of the line. Tuesday Nov. 6. 1804.
	From the Bank of White River when our reckoning from
	cor of cor 21. 22, 27. & 28. is 50.18 lks. or. 46.00 + 4.18 = 50.18
56.09	To the bed of a Run 2 links mid, Course E.
56.62	To a Gum. 18 in. dia: in the line.
70.50	To the bed of a Run. 2 links mid, Course E & W.
80.00	Set a post for the cor of cor. 15. 16. 21. & 22 from which a
	Hick 18 in. dia: bund. S 19 E. 44 links dist; & a,
	Hick 18 " " " N 30 W. 59. " "
	Land broken; Tinto Buck, Oak, & Hick

North	Return Sat. 15 & 16. T. N. 1. N. R. 5 W.
4.06.	To a Sugar. 7 in. dia: stands in the line
12.50	" " Poplar 6 " " " " " "
31.65	To the bed of a Run course West
40.00	Set a 74 ap. post from which a
	W. Oak 30 in. dia: bund. N 30 W. 12 links dist; & a,
	Buck. 24 " " " S 67 E. 82 " "
	Land broken; Tinto Buck, Oak, & Hick
51.62	To a Sugar, 18 in. dia: in the line.
65.12	To a Poplar 30 " " " " " "
68.75	" " Buck. 24 " " " " " "
73.90	To the bed of a Run 2 links mid; Course N. E.

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 577. 2<sup>nd</sup> Mer. Ind.

80.00	Set a post for the cor of sec. 9. 10. 15 & 16 from which W. Oak. 12 in. diam. trans. S 26 E. 25 links dist; & a Buck. 9 " " " N 49 W. 62 " " Sands broken; Timber Buck, Oak, Hickory, Poplar, &c. Wednesday Nov. 21.
West	Between Sec. 15 & 22. T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 577.
9.00	To a Brook. 50 links mid, Corner ... S
13.25	To the bed of a Run. 2 links mid, Corner ... S
19.40	" " " " " " 2 " " " N. & S
28.25	" " " " " " 2 " " " N. & S
40.24	Set the 1/4 sec post at the av. dist on the true line from which Oak 14 in. diam. trans. S 37 E. 40 links dist; & a Buck. 18 " " " N 37 W. 36 " " Sands broken; Timber Buck, Poplar, &c. Open; woods
52.18	To the bed of a Run; 2 links mid, Corner ... S
59.90	" " " " " " 3 " " " N & S
68.30	" " " " " " Corner N. & S
80.46	Intersect the N & S line 60 links South of the post cor of sec. 15, 16, 21 & 22. Sands broken; Timber Buck, Ash, Poplar, Sugar.
West	Between Sec. 10. & 15 T. 1. N.R. 577.
13.10	To the bed of a Run Corner N W & S E.
19.00	To " " " " " 20 links mid; N & S
40.65	Set a 1/4 sec post from which is (av dist. on true line.) Buck. 14 in. diam. trans. N 55 W. 11 links dist; & a Do. 6 " " " S 46 E. 25 " " Sand flat Timber Buck.
67.50	To the bed of a Run, 2 links mid, S. W.
81.31	Intersect the Meridian line 55 links South of the Post cor of sec. 9 10. 15 & 16. Sands broken; Timber Buck, Oak, Hickory, Poplar, Sugar.

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 5 W. 2<sup>nd</sup> Mer. Sud.

North	Between Sec. 9 & 10 T. 1. N.R. N <sup>o</sup> 5 W.
19.23	To a W. Oak. 18 in. diam. in the line.
35.71	To the bed of a Run. Corner N. W.
40.00	Set a 74 cu. foot from which
	Sugar. 12 in. diam. bears N 54 E. 43 links north; & 9
	Ho. 7 " " " S 54 W. 35 " "
	Land broken; Tumble Oak, Buck, Sugar & c.
51.70	To the bed of a Run. Corner S. W.
80.00	Set a post for the cor. of Sec. 3 & 4. 9 & 10 from which
	Buck. 11 in. diam. bears N 59 E. 40 links north; & 9
	Ho. 18 " " " N 66 W. 37 " "
	Land broken; Tumble Oak, Buck, & Hickory.

East	Between Sec. 3 & 10 T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 5 W.
28.40	To the bed of a Run 3 links wide, Corner S. S
33.25	" " " " " " Corner S
40.48	Set a 74 cu. foot at av. dist. on the true line from which
	Gum. 6 in. diam. bears S 21 E. 14 links north; & 9
	Ho. 18 " " " N 48 W. 41 " "
35.75	To the bed of a Run. 2 links wide, crossed it 7 times; last time S. S. E.
36.75	" " " " " " 2 " " Corner N. E.
80.96	Intersect the Meridian 62 links North of the cor. of Sec.
	2, 3, 10 & 11
	Land broken; Tumble Oak, Hickory, & Sugar,

North	Between Sec. 3 & 4 T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 5 W.
9.81	To a Hickory 18 in. diam. in line; stands on the bank of a run
	10 links wide, Corner S. W.
19.00	To the bed of a Run 2 links wide, Corner W.
32.60	" " " " " " 2 " " " W.
40.00	Set a 74 cu. foot from which
	W. Oak. 18 in. diam. bears N 46 E. 25 links north; & 9
	Sugar 12 " " " S 78 W. 44 " "



T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 5 47 2<sup>nd</sup> New. Ind?

43.15 To a Run. 10 links mid, Corner N.  
 45.00 " " Same " " " " S.E.  
 50.50 " " Same " " " " S.W.  
 52.30 " " Same " " " " S.E.  
 57.12 " " Same " " " " N.  
 80.00 Enter cut the N. Road. 91 links West of the fork  
 corner of lot. 33 & 34. T. N<sup>o</sup> 2. N.R. 57. From which a  
 W. Oak. 18 in. diam. bears S 77 E. 105 links due; & a  
 R. Oak. 12 " " " N 70 E. 63 " "  
 Sand barrow; Limbu Oak & Buck.

North  
 40.00 Set a 70 report from which  
 W. Oak. 18 in. diam. bears S 19 E. 50 links due; & a  
 Maple. 7 " " " N 26 W. 52 " "  
 Sand barrow; Limbu Oak & Hickory thick set with  
 fruit, vines & weeds;  
 42.60 To a R. Oak 22 in. diam. stands in the line.  
 54.80 To a R. Oak. 18 " " " " " "  
 75.10 To the bed of a stream 1 link mid; E & W.  
 80.00 Set a post for the cor. of lot. 28, 29, 32 & 33. From which  
 Hickory 7 in. diam. bears N 76 E. 9 links due; & a  
 L. 12 " " " " S 46 W. 19 " "  
 Sand barrow; Limbu Hickory, Oak, & Dog wood.

East  
 13.00 To a Water Corner N. & S.  
 28.00 To the bed of a stream 2 links mid, Corner N. & S.  
 40.23 Set a 70 report at the corner where the true line from which  
 W. Oak. 14 in. diam. bears S 78 E. 25 links due; & a  
 R. L. 24 " " " " S 29 E. 29 " "  
 Sand flat; Limbu Oak & Hickory;  
 15.50 To the bed of a stream 1 link mid; N. & S.

T. No. 1. N.R. No. 5<sup>th</sup>. 2<sup>nd</sup> Mer. Ind.<sup>r</sup>

80.47 Entered the Meridian 16 links North of the tree cor of  
27. 28. 33. & 34

North Return Sur. 28 & 29 T. 1. N.R. 5<sup>th</sup>.  
22.63 To a Dogwood 4 in. diam. Stands in the line.  
40.00 Set a  $\frac{1}{4}$  post from which a  
Dogwood 5 in. diam. bears. S 7 E 32 links west; & a  
W. Oak 10 " " " N 38 E. 40 " "  
Sand bar; Limbu Oak, & Hickory  
51.50 To a dry bed of a stream; 4 links wide, course N.W.  
59.50 " " bed " " " 2 " " " E & N  
69.75 To a stream 13 links wide, crossed it 3 times; last time  
course S.E.  
78.13 To a W. Oak 24 in. diam. Stands in the line.  
80.00 Set a post for the cor of sec. 20. 21. 28 & 29 from which a  
W. Oak, 12 in. diam. bears. N 14 W. 16 links west; & a  
Poplar 15 " " " S 24 E. 8 " "  
Sand bar; Limbu Oak, Birch, & Poplar,

East Return Sur. 21 & 28 T. 1. N.R. 5<sup>th</sup>.  
13.12 To the Run. of a Spring 6 links wide, the Spring is  
North about 10 ch.  
18.08 To a stream 27 ch. wide, course N. . E  
24.50 " " same 10 " " " S. E.  
410.489 Set a  $\frac{1}{4}$  support on the true line from which a  
W. Oak. 18 in. diam. bears. S. E. 21 links west; & a  
Poplar 36 " " " N 11 W. 34 " "  
44.47 To a stream 2 links wide, course S. W  
80.97 Entered the N & S line 85 links North of the post.  
corner of sec. 21. 22, 27. & 28.  
Sand bar; Limbu Oak, & Hickory; full of muddy  
Birch, Grapevines, &c &c.

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 5 W. 2<sup>nd</sup> Mer. Ind.North Return Gal. 20 & 21 T. N<sup>o</sup> 1. N.R. 5 W.38.50 To the Left Bank of White River; The river is 5.74<sup>C.S.</sup> across in the direction of the line.

Wednesday Nov. 7. Encamped this night, in Sec. 29 T. N. R. 5 W. in a level spot of ground.

Timbered with Buck Sugar, &c. The land generally in the N.W. of this Section is level & good 2<sup>nd</sup> or 3<sup>rd</sup> rate landNorth From an Elm tree 12 in. dia. in the Banks of White River where our reckoning from the cor of Sec. 20. 21. 28 & 29 is 45.68<sup>C.S.</sup>

65.24 To a N. Oak 20 in. dia. in the line.

79.75 To the Run. of a Spring Corner W.

80.00 Set a post for the cor of Sec. 16. 17. 20 &amp; 21 from which a Poplar 36 in. dia. bears S 76.40 links due; &amp; a N. Oak 24 " " N 10 W. 52 " "

Land broken; Timber Oak, &amp; Buck,

East Return Gal. 16. 17. 21 &amp; 22 T. 1. N.R. 5 W.

24.24 To the bed of a Run. 3 links wide, N &amp; S

28.50 To a Run 1 lk wide, Corner S. W

40.55?) Set a post on the line from which a Buck 30 in dia. bears N 74 E: 85 links due; &amp; a Log 8 " " " S 74 W. 35 " "

Land broken; Timber Sugar, Buck, &amp; Poplar,

56.02 To the bed of a Run 4 lks wide, Corner S. E.

57.82 " " bed " " Run. 6 " " " N. W.

65.15 " " " " " Stream 2 " " " S W

78.10 " " " " " Run 2 " " " S

81.10 Intersect the N.E. line 2 links North of the first cor of Sec. 15. 16. 21 &amp; 22.

Land very broken, Timber Buck, Oak, &amp; Hickory

Friday Nov. 16. 1804.

North Return Gal. 16 &amp; 17 T. 1. N.R. 5 W.

0.75 To a Brook 50 links wide, Corner S. W.

T. N. 1. N. R. N. 57. 2<sup>nd</sup> Mer. Ind?

40.00	Set a post from which Beech. 18 in. dia. beam. S89E. 28 links dist; & a, Do. 12 " " " N72W. 76 " " Sand broken; Limbu Beech, Sugar, Ash & Walnut.
59.80	To the bed of a Run 1 link mid. Course E.
57.30	To a Run 1 link mid. " E.
64.90	" No. 1 " " " E.
65.51	To a Run. Course N.E.
80.00	An Elm 3 in. dia. stands for the cor of Lot 8, 9, 16 & 17 from which Beech. 8 in. dia. beam. S26E. 27 links dist; & a, Ash. 12 " " " N57W. 84 " " Sand broken; Limbu Beech, Oak, & a
East	Between Lot 9 & 16 T. N. 1. N. R. 57.
14.84	To a Run 2 links mid. Course S.
17.50	" " No. 20 " " " S.
33.75	To the bed of a Run 3 links mid. N. & S.
40.25	Set a post at over dist on the true line from which a Oak. 24 in. dia. beam. N56E. 27 links dist; & a, Beech — " " " West 6 " " Sand broken; Limbu Beech, Oak & Sugar.
57.65	To the bed of a Run 2 links mid. Course E. W.
70.10	" " " " " " 1 " " " N. E.
80.50	Intersected the N5 line 2 links North of the post cor. of Lot 9, 10, 15 & 16. Sand broken; Limbu Oak, & Hick
North	Between Lot 8 & 9 T. N. 1. N. R. N. 57
4.58	To the Run of a Spring; 2 links mid. Course N.E.
34.41	To a Beech. 12 in. dia. stands in the line.
40.00	Set a post from which a Beech. 20 in. dia. beam. N31W. 35 links dist; & a, Do. 8 " " " S72E. 12 " "



## T. No. 1. N.R. No. 577 2nd Mer. Ind 5

Land very broken; Timber Beech, Oak  
 43.23 To a W. Oak 12 in diam. stands in the line,  
 55.29 To a Beech, 24" " " " "  
 55.81 To the bed of a Run. 1 link side, Corner E.  
 71.17 To a Hollar Poplar 84 in diam in the line.  
 77.75 To a Run 1 link side, Corner E.  
 80.00 Set a post for the corner of 4, 5, 8 & 9 from which a  
 Beech, 20 in diam. bears N 88 E. 24 links dist; & 3  
 No. 18 " " " N 44 W. 41 " "

Each Between Sta. 4 & 9 T. No. 1. N.R. 577.  
 4.56 To a Run 2 links side, Corner S. E.  
 23.00 To a Run. 1 link side, " S. E.  
 30.88 " " No. 10 " " " S  
 34.40 To the bed of a Run 3 links side, Crossed it twice; Co. NW  
 40.10 Set a 14 ft post at the av. dist on the true line from which  
 Beech, 12 in diam. bears N 37 W. 6 links dist; & 3  
 No. 8 " " " S 37 W. 33 " "  
 Land broken; Timber Beech, Oak, Hickory  
 50.55 To the bed of a Run. 2 links side, Corner S. E.  
 56.70 " " " " " 2 " " S  
 74.70 To a Run 6 links side, Corner S.  
 80.20 Intersect the N 15 line 19 links South of the post  
 corner of Sta. 3, 4, 9 & 10  
 Land broken; Timber Beech, Oak, Hickory

North Between Sta. 4 & 5 T. No. 1. N.R. No. 577.  
 19.26 To a W. Oak 12 in diam. in the line.  
 25.70 To a Run 12 links side, Corner S. E.  
 27.00 " " Same 12" " " N. E.  
 28.57 " " Same 12" " " S W  
 40.00 Set a post for the corner at av. dist on the true line from which a  
 W. Oak 18 in diam. bears S 62 E. 5 links dist; & 3

327

T. N. 1. N. R. N. 5. W. 2nd Mer. Sud?

	W. Oak 15 in dia: trees. N 42 W. 46 miles dist;
	Sand broken; Timber Birch, Oak, Hickory &c.
53.03	To a W. Oak 10 in dia: stands in the river.
80.17	Intersect the N. R. boundary 133 West of the post cor. of Sec. 32 & 33. T. N. 5 W. from which a W. Oak 36 in dia: trees. S 86 E. 137 miles dist; &c; W. Oak 11, " " N 69 E. 139 " "
North	Between Sec. 31 & 32 T. N. 5 W.
10.25	To Louisville trace
34.00	" the bed of stream 6 miles wide, Course S.
40.00	Set a post from which a W. Oak 36 in dia: trees S 84 E. 34 miles dist; &c; Do. 36 " " N 56 W. 19 " "
	Sand flat; Timber Oak, Gum, Maple, Log wood
47.00	To the bed of stream 2 miles wide, Course N. E.
48.83	To a Hickory 5 in. dia: stands in the river
58.30	" " Poplar 24 " " " " "
64.00	To a stream 1 1/2 miles wide, Course N. W.
73.32	" " Do. 4 " " " " "
76.30	To a W. Oak 36 in. dia: stands in the river.
80.00	Set a post for the cor of Sec. 29. 30. 31 & 32 from which a Hickory 12 in. dia: trees. N 66 E. 16 miles dist; &c; W. Oak 24 " " " N 84 W. 30 " "
	Sand level; Timber Hickory & Oak
East	Between Sec. 29 & 32 T. N. 1. N. R. 5 W.
5.63	To a stream 4 miles wide, Course . N
7.76	To the Run of a large spring; Course N. E. the spring lies 1 ch. S. E.
29.04	To a Brook 3 miles wide, Course . N
40.00	Set a post on true line from which a Log wood 7 in. dia: trees. N 67 E. 42 miles dist; &c

T. N. 1. N. R. N. 5 W. 2<sup>nd</sup> Mer. Ind.

43. Oak 30 in. diam. bend. S 81 W. 39 links north;  
 Sand broken; Tumble Poplar, & Oak.  
 43.07 To a Brook 4 links north, Course N. E.  
 79.39 Enter at the N. V. line 95 links South of the first cor.  
 of Sec. 28, 29, 32 & 33.  
 Sand lock; Tumble Oak, & Hickory

- North Return Sec. 29 & 30 T. 1. N. R. 5 W.  
 3.28 To a Poplar 18 in. diam. stands in the line.  
 20.75 " the bed of stream Course E.  
 33.16 To a W. Oak, 12 in. diam. in the line.  
 40.00 Set a post for the first from which  
 R. Oak 13 in. diam. bend. S 36 W. 16 links north; & a  
 Gum. 30 " " S 75 E. 31 " "  
 Sand fresh rate; Tumble Oak, Poplar, Walnut & X  
 68.00 To a stream 3 links north; Course N. W.  
 68.50 To a stump 450 lks "  
 78.15 To a stump Gum 24 in. diam. in the line  
 80.50 Set a post for the cor. of Sec. 19, 20, 29 & 30 from which  
 R. Oak 18 in. diam. bend. N 65 W. 44 links north; & a  
 Gum. 12 " " S 47 E. 21 " "  
 Sand fresh rate; Tumble Gum, Ash, & R. Oak,  
 Thursday Nov. 8.

- East Return Sec. 20 & 29 T. 1. N. R. 5 W.  
 5.00 To the edge of a long swamp  
 6.00 To a Brook 10 links north, Course N. W.  
 23.77 " same 16 " " " S. W.  
 33.68 " same 7 " " " N. W.  
 38.75 Set the 1<sup>st</sup> post on the line from which  
 R. Oak 20 in. diam. bend. S 9 W. 16 links north; & a  
 W. Oak 18 " " N 47 E. 21 " "  
 60.75 To a Spring Course S. W.

73.75	To the Run of a Spring 1 mile wide; Corner S. W. 50th off Run 2 miles wide from two Springs; one North 50th the other S. 20th. 1 ch.
77.10	Intersect the N. 5th line 169 miles South of the cor. post, 20.21. 28 & 29 Land broken; Timber Buck, Oak, & Poplar.
North	Return Sat. 19 & 20. T. 1. N. R. 5 W.
5.00	To a Swamp 12 ch. wide
40.00	Get a 1/4 cor. post from which a Buck. 18 in. diam. bears. N. 79 W. 21 miles dist; & a, Mulberry 18 " " " S. 80 W. 50 " " Sand flat & low. Timber Walnut Ash, Buckeye, Popl
8.87	To a Hickory 24 in. diam. stands in the line.
57.60	To a Stream 10 miles wide, Corner N. 6.
79.50	To the left Bank of White River; The river is 5.70 to the other Bank in the direction of our line. Bottom lands; thick set with Spice wood bushes Timber Walnut, Sugar, Poplar &c. Saturday Nov 10
West	Return Sat. 17 & 18 T. 1. N. R. 5 W.
0.50	To a Stream 40 miles wide, Corner S. E.
40.00	Get a 1/4 cor. post from which a Hickory 7 in. diam. bears. S. 7 W. 23 miles dist; & a, Lo. 8 " " " N. 57 W. 28 " "
41.50	To the Right Bank of White River; Buck & Good bottom lands; The remainder of this line is wanting in the Original notes.
North	Return Sat. 17 & 18 T. 1. N. R. 5 W. From a station on the Right Bank of White River where the distance on the meridian from the cor. of S. 17. 18. 19 & 20 is 6 ch. 56 ls.



T. N. 1. N. R. N. 5<sup>th</sup> 2<sup>nd</sup> M. Ind.

- 10.15 To a Sugar. 12 in. diam. in the line  
 21.74 To a Maple. 19. " " " "  
 22.00 To an Elm 20 " " " " "  
 40.00 Set a 7<sup>th</sup> sup post from which a  
 Buck. 9 in. diam. beam. N 33 E. 24 links dist; &  
 Do. 7 " " " S 10 W. 6 " "  
 Buck. Sugar, Poplar & Maple land;  
 48.50 To a Oak 10 links wide, Course W.  
 71.33 To a Black. Gum. 16 in. diam. in the line.  
 80.00 Set a post for the cor of Lw. 7, 8, 17 & 18 from which a  
 Oak 30 in. diam. beam. S 29 E. 19 links dist; &  
 Buck. 20 " " " N 25 W. 70 " "  
 Land broken; Timber Buck, Oak, Sugar, Poplar

- West Between Lw 8 & 17 T. 1. N. R. 5<sup>th</sup>  
 4.75 To the bed of a Run 2 links wide, Course N. W  
 40.00 Set a 7<sup>th</sup> sup post from which a  
 Buck. 18 in. diam. beam. S 79 E. 24 links dist; &  
 Do. 18 " " " N 53 W. 44 " "  
 Land broken; Timber Buck, Oak, &  
 46.00 To the bed of a Run 2 links wide; N; V S  
 63.10 To a Run 10 links wide, Course S  
 76.75 " " Do. 2 " " " " S  
 79.30 " " Do. 3 " " " " S  
 78.50 Into cut the N 5 line 28 links North of the cor of Lw.  
 7, 8, 17 & 18 Thursday Nov. 23.

- North Between Lw 7 & 8 T. 1. N. R. 5<sup>th</sup>  
 10.72 To a Run 2 links wide, Course S W.  
 30.50 " " " 2 " " " E.  
 40.00 Set a 7<sup>th</sup> sup post from which a  
 Logwood 5 in. diam. beam. S 2 E. 31 links dist; &  
 Buck. 14 " " " N 48 W. 69 " "

## T. N. 1. N.R. N. 5 W. 2nd Mer. Sud.

Land broken; Timber W Oak, Hickory Gum, Poplar,  
Bent, &c.

- 43.26 To a W Oak 18 in diam: in the line.  
 48.00 To a Run 3 M. side, Corner E.  
 63.00 To the bed of a Run. " E.  
 65.43 To a Hickory 18 in diam: in the line.  
 72.90 To the bed of a Run Corner E.  
 78.41 To a Hickory 14 in diam: in the line  
 80.00 Set a post for the cor. of Sec. 5, 6, 7 & 8. From which a  
 W Oak 14 in diam: bears N 67 E. 88 links dist; & a  
 Do. 7 " " " S 28 W. 50 " "  
 Land broken; Timber Oak & Hickory

East Between Sec. 5 & 8. T. 1 N.R. 5 W.

- 1.25 To the bed of a Run 1 M. side, Corner S.  
 29.40 " " " " " " " " S.  
 40.00 Set a 7/4 sa post in the true line from which a  
 W Oak 14 in diam: bears N 7 E. 66 links dist; & a  
 Do. 8 " " " " S 2 E. 17 " "  
 Land flat; Timber Oak, & Hickory  
 78.23 Intersect the Meridian or N & S line 23 links South  
 of the post cor of sec. 4, 5, 8 & 9.  
 Land same as last described.

North Between Sec. 5th. T. 1 N.R. 5 W.

- 21.12 To a B Oak, 24 in diam: in the line.  
 40.00 Set a 7/4 post from which a  
 B Oak, 20 in diam: bears S 8 E. 37 links dist; & a  
 Hickory 8 " " " N 84 W. 27 " "  
 Land broken; Timber Oak, & Hickory  
 40.48 To a B Oak, 15 in diam: in the line.  
 57.70 To the bed of a Run 2 link side, E & W.  
 66.50 " " " " " " " " E.

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 5 W. 2<sup>nd</sup> Mer. Ind.

72.50 To the bed of a Run 1 mile wide E & W.  
 80.45 Enter cut the N Boundary 52 miles East of the post  
 cor of sec. 31 & 32. T 2. N.R. 5 W. from which a  
 W. Oak. 10 in. diam. bears N 68 W. 48 miles west; & a  
 B. Oak 30 " " " S 84 W. 84 " "  
 Sand bar Limb Oak, Hickory, Poplar & Dogwood

West Return Sec 30 & 31 T 1 N.R. 5 W.  
 15.00 To a Swamp 5 ch. wide.  
 37.00 To a W. Oak. 12 in. diam. stand in the line.  
 39.75 Set the 7<sup>th</sup> Re post at the arr. dist. from which a  
 Buck. 20 in. diam. bears S 44 W. 10 miles west; & a,  
 R Oak. 14 " " " N 47 E. 47 " "  
 Sand bar & flat; Limb Oak, Maple, some Hickory  
 and Bush  
 63.00 To the bed of a Stream 2 miles wide, corner N. W  
 64.70 To a Sugar. 12 in. diam. in the line  
 68.50 To a Buck. 15 " " " "  
 78.68 To the bed of a stream Corner N. W  
 79.50 Enter cut the West Boundary 4 miles North of the  
 post cor of sec. 25 & 36 T 1. R 6 W.

West Return Sec 19 & 30 T 1. N.R. 5 W  
 4.77 To a Poplar 24 in. diam. in the line.  
 17.50 To a Swamp. 500 lbs wide.  
 40.00 Set a 7<sup>th</sup> support from which a  
 Buck. 8 in. diam. bears S 9 W. 14 miles west; & a,  
 W. Locust 12 " " " N 59 E. 21 " "  
 Sand bar; Limb Oak, Sugar, &c.  
 46.31 To a Buck. 7 in. diam. in the line  
 51.23 To a Hickory 24 " " " "  
 56.30 To the bed of a Stream 2 miles wide, N. & S  
 67.09 " " " " " " 3 " " " N.

D. N<sup>o</sup> 1. N.R. N<sup>o</sup> 5 W 2<sup>nd</sup> Mer. Ind.

72.68	To the bed of a stream 3 links mid. N. V. : 5
75.00	" " " " " " 3 " "
79.00	Entered the West Boundary 57 links North of the post cor of lot. 24 & 25 T. 1. N.R. 6 W. Stands low; Timber Buck, Lym. & Hickory
Web	Between Lot. 18 & 19 T. 1. N.R. 5 W.
6.30	To the Right Bank of W River.
36.00	To the N Bank of White River. 7.12 <sup>5</sup> across in the line The 74 <sup>th</sup> cor. is in the middle of the river;
69.69	To the Bank of the River 7.56 <sup>5</sup> across in the line. Entered the West Boundary at the post cor of lot. 13 & 24 T. 1. N.R. 6 W.
West	Between Lot. 7 & 18 T. 1. N.R. 5 W.
5.00	To the bed of a Run 1 link mid. Corner N. W
40.00	Set a 74 <sup>th</sup> support from which W. Oak 18 in. diam. trees N 20 E. 16 links arb; &, Log run 5 " " " S 20 W. 10 " " Buck land; then and go very full of saplings of Poplar, Sassafras & 3
49.38	To a Buck, 24 in. diam. stands in the line.
79.92	Entered the West Boundary 15 links South of cor. run post, 12 & 13 T. 1. N.R. 6 W.
West	Between Lot. 6 & 7 T. 1. N.R. 5 W.
28.38	To a Hickory 30 in. diam. stands in the line.
37.48	To a W. Oak. 12 " " " " "
40.00	Set a 74 <sup>th</sup> support from which 93 Gum 7 in. diam. trees. N 30 E. 12 links arb; &, Hickory 7 " " " S 26 W. 10 " " Stands low; Timber Oak Hickory & Gum. Open woods.



43.00	To the bed of a Run 1 M. mid., Course S. W.
45.00	To a W Oak 13 in. diam. in the line.
52.65	" the bed of the above run Course N. W.
55.61	To a Bent 36 in. diam. stands in the line.
60.00	To a Run 6 links mid., Course S. W.
71.12	To the bed of a Run 2 links mid., Course N. E.
79.85	Intersect the West Boundary 5 links South of the Post cor. of sec. 18 12 T. 1. N. R. 6 W.

Meanders of White River Taken on the river. Jan'y  
24. 1805 from its intersection with the West Range  
line of T. 1. N. R. 5 W. in Sec. 19. upstream

N 49 E.	16.00	A remarkable ledge of Rocks in the N. Bank
N 43 E.	11.00	
S 77 E.	6.00	
S 47 1/2 E.	28.54	
N 86 E.	21.14	
N 54 E.	13.80	To the N. S. line

N 31 E.	4.00	To a Creek 50 links mid. Course N. W. or rather
N 38 E.	10.46	a Payon disjoining an Island from the main land
N 3 E.	6.40	
N 77 E.	8.18	
S 35 E.	24.46.	
S 50 E.	20.00	To a Creek 40 links mid., on the N. Bank
S 50 E.	40.28	To the N. S. line between Sec. 20. & 21

S 47 1/2 E.	26.90	
N 61 E.	30.00	
N 86 1/2 E.	21.55	
S 74 E.	7.79	To the N. S. line between Sec. 21. & 22

S 76 1/2 E.	21.23	
-------------	-------	--

D. No. 1. N.M. No. 5 W. 2nd Mer. Sur.

S39 E.	7.85	
S92 1/2 E.	22.00	To a Run 5 links wide, on S. 1 Bank.
S92 1/2 E.	4.16	
S4 W	30.75	
S69 E.	1.00	To a Creek 40 links wide,
S69 E.	29.17	
N70 E.	6.00	Canoe on the N. 1 Bank
N70 E.	25.84	To the N. 1 S. line between Sur. 26 & 27.
N42 1/2 E.	18.00	Coal bed on Smith Bank.
N42 1/2 E.	6.75	
N7 1/4 E.	30.81	
N34 1/2 E.	20.53	
N70 E.	17.15	
N84 1/2 E.	14.10	
S87 E.	15.66	To the N. 1 S. line between Sur. 23 & 24.
S39 E.	5.20	
S112 1/2 E.	27.90	
S42 E.	20.81	
S71 1/2 E.	27.30	
N63 E.	4.79	
N32 E.	14.00	
N44 E.	12.48	
N63 1/2 E.	13.04	To the East Range line; East 1/2 Boundary of Sec. 24.

Surveyed by  
David Sanford. L.S.

T. N. 1. N. R. N. 5 W. 2nd Mer. Ind.

I certify that the foregoing transcript of the  
field notes of Township N. 1. N. Range N. 5 West  
of the 2nd Principal Meridian, in Indiana has  
been compared with the original notes in this Office  
and found to be correct.

Surveyor General's Office.

April 15. 1841. Cincinnati,

P. D. H. Jones  
Sur. Genl.